

# Package ‘minimaxApprox’

May 21, 2024

**Type** Package

**Title** Implementation of Remez Algorithm for Polynomial and Rational Function Approximation

**Version** 0.4.2

**Date** 2024-05-20

**Description** Implements the algorithm of Remez (1962) for polynomial minimax approximation and of Cody et al. (1968) <[doi:10.1007/BF02162506](https://doi.org/10.1007/BF02162506)> for rational minimax approximation.

**License** MPL-2.0

**URL** <https://github.com/aadler/MiniMaxApprox>

**BugReports** <https://github.com/aadler/MiniMaxApprox/issues>

**Imports** stats, graphics

**Suggests** tinytest, covr

**ByteCompile** yes

**NeedsCompilation** yes

**Encoding** UTF-8

**UseLTO** yes

**Author** Avraham Adler [aut, cre, cph] (<<https://orcid.org/0000-0002-3039-0703>>)

**Maintainer** Avraham Adler <Avraham.Adler@gmail.com>

**Repository** CRAN

**Date/Publication** 2024-05-20 22:10:03 UTC

## R topics documented:

minimaxApprox-package . . . . .	2
coef.minimaxApprox . . . . .	3
minimaxApprox . . . . .	4
minimaxErr . . . . .	8
minimaxEval . . . . .	9
plot.minimaxApprox . . . . .	10
print.minimaxApprox . . . . .	11

**Index****12**


---

minimaxApprox-package *Implementation of Remez Algorithm for Polynomial and Rational Function Approximation*

---

**Description**

Implements the algorithm of Remez (1962) for polynomial minimax approximation and of Cody et al. (1968) <doi:10.1007/BF02162506> for rational minimax approximation.

**Details**

The DESCRIPTION file:

```

Package:      minimaxApprox
Type:         Package
Title:        Implementation of Remez Algorithm for Polynomial and Rational Function Approximation
Version:      0.4.2
Date:         2024-05-20
Authors@R:   person(given="Avraham", family="Adler",role=c("aut", "cre", "cph"), email="Avraham.Adler@gmail.com)
Description:  Implements the algorithm of Remez (1962) for polynomial minimax approximation and of Cody et al. (1968)
License:     MPL-2.0
URL:         https://github.com/aadler/MiniMaxApprox
BugReports:  https://github.com/aadler/MiniMaxApprox/issues
Imports:     stats, graphics
Suggests:    tinytest, covr
ByteCompile: yes
NeedsCompilation: yes
Encoding:    UTF-8
UseLTO:      yes
Author:      Avraham Adler [aut, cre, cph] (<https://orcid.org/0000-0002-3039-0703>)
Maintainer:  Avraham Adler <Avraham.Adler@gmail.com>
Archs:       x64

```

Index of help topics:

```

coef.minimaxApprox      Extract coefficients from a '"minimaxApprox"'
                        object
minimaxApprox           Minimax Approximation of Functions
minimaxApprox-package   Implementation of Remez Algorithm for
                        Polynomial and Rational Function Approximation
minimaxErr             Evaluate the Minimax Approximation Error
minimaxEval            Evaluate Minimax Approximation
plot.minimaxApprox     Plot errors from a '"minimaxApprox"' object
print.minimaxApprox    Print method for a '"minimaxApprox object"'

```

**Author(s)**

Avraham Adler [aut, cre, cph] (<<https://orcid.org/0000-0002-3039-0703>>)

Maintainer: Avraham Adler <Avraham.Adler@gmail.com>

---

coef.minimaxApprox      *Extract coefficients from a "minimaxApprox" object*

---

**Description**

Extracts the numerator and denominator vectors from a "minimaxApprox" object. For objects with both Chebyshev and monomial coefficients, it will extract both.

**Usage**

```
## S3 method for class 'minimaxApprox'
coef(object, ...)
```

**Arguments**

object            An object inheriting from [class](#) "minimaxApprox".  
 ...                Other arguments.

**Value**

Coefficients extracted from the "minimaxApprox" object. A [list](#) containing:

a                    The polynomial coefficients or the rational numerator coefficients.  
 b                    The rational denominator coefficients. Missing for polynomial approximation.  
 aMono                The polynomial coefficients or the rational numerator coefficients for the monomial basis when the approximation was done using Chebyshev polynomials. Missing if only the monomial basis was used.  
 bMono                The rational denominator coefficients for the monomial basis when the approximation was done using Chebyshev polynomials. Missing if either only the monomial basis was used or for polynomial approximation.

**Author(s)**

Avraham Adler <Avraham.Adler@gmail.com>

**See Also**

[minimaxApprox](#)

**Examples**

```
PP <- minimaxApprox(exp, 0, 1, 5)
coef(PP)
identical(unlist(coef(PP), use.names = FALSE), c(PP$a, PP$aMono))

RR <- minimaxApprox(exp, 0, 1, c(2, 3), basis = "m")
coef(RR)
identical(coef(RR), list(a = RR$a, b = RR$b))
```

minimaxApprox

*Minimax Approximation of Functions***Description**

Calculates minimax approximations to functions. Polynomial approximation uses the Remez (1962) algorithm. Rational approximation uses the Cody-Fraser-Hart (Cody et al., 1968) version of the algorithm. When using monomials as the polynomial basis, the Compensated Horner Scheme of Langlois et al. (2006) is used.

**Usage**

```
minimaxApprox(fn, lower, upper, degree, relErr = FALSE, basis = "Chebyshev",
             xi = NULL, opts = list())
```

**Arguments**

fn	function; A vectorized univariate function having x as its first argument. This could be a built-in R function, a predefined function, or an anonymous function defined in the call; see <b>Examples</b> .
lower	numeric; The lower bound of the approximation interval.
upper	numeric; The upper bound of the approximation interval.
degree	integer; Either a single value representing the requested degree for polynomial approximation or a vector of length 2 representing the requested degrees of the numerator and denominator for rational approximation.
relErr	logical; If TRUE, calculate the minimax approximation using <i>relative</i> error. The default is FALSE which uses <i>absolute</i> error.
basis	character; Which polynomial basis to use in the analysis. "Monomial" uses the standard $x^k$ basis. "Chebyshev" uses the Chebyshev polynomials of the first kind, $T_k$ . The default is "Chebyshev", and the parameter is case-insensitive and may be abbreviated.
xi	numeric; For rational approximation, a vector of initial points of the correct length— $\sum(\text{degree}) + 2$ . If missing, the approximation will use the appropriate Chebyshev nodes. Polynomial approximation <b>always</b> uses Chebyshev nodes and will ignore xi with a message.
opts	<a href="#">list</a> ; Configuration options including:

- `maxiter`: integer; The maximum number of iterations to attempt convergence. Defaults to 100.
- `miniter`: integer; The minimum number of iterations before allowing convergence. Defaults to 10.
- `conviter`: integer; The number of successive iterations with the same results allowed before assuming no further convergence is possible. Defaults to 30. Will overwrite `maxiter` and `miniter` if `conviter` is explicitly passed and is larger than either one.
- `showProgress`: logical; If TRUE will print error values at each iteration.
- `convrat`: numeric; The convergence ratio tolerance. Defaults to  $1 + 1 \times 10^{-9}$ . See **Details**.
- `tol`: numeric; The absolute difference tolerance. Defaults to  $1 \times 10^{-14}$ . See **Details**.
- `tailtol`: numeric; The tolerance of the coefficient of the largest power of  $x$  to be ignored when performing the polynomial approximation a second time. Defaults to the smaller of  $1 \times 10^{-10}$  or  $\frac{\text{upper} - \text{lower}}{10^6}$ . Set to NULL to skip the degree + 1 check completely. See **Details**.
- `ztol`: numeric; The tolerance for each polynomial or rational numerator or denominator coefficient's contribution to **not** to be set to 0. Similar to polynomial `tailtol` but applied at each step of the algorithm. Defaults to NULL which leaves all coefficients as they are regardless of magnitude. See **Details**.

## Details

**Convergence:** The function implements the Remez algorithm using linear approximation, chiefly as described by Cody et al. (1968). Convergence is considered achieved when all three of the following criteria are met:

1. The observed error magnitudes are within tolerance of the expected error—the **Distance Test**.
2. The observed error magnitudes are within tolerance of each other—the **Magnitude Test**.
3. The observed error signs oscillate—the **Oscillation Test**.

“Within tolerance” can be met in one of two ways:

1. **Difference:** The difference between the absolute magnitudes is less than or equal to `tol`.
2. **Ratio:** The ratio between the absolute magnitudes of the larger and smaller is less than or equal to `convrat`.

For efficiency, the **Distance Test** is taken between the absolute value of the largest observed error and the absolute value of the expected error. Similarly, the **Magnitude Test** is taken between the absolute value of the largest observed error and the absolute value of the smallest observed error. Both tests can be passed by **either** being within `tol` or `convrat` as described above. However, when the **Difference** test returns values less than machine precision, it is ignored in favor of the **Ratio** test.

When the error values remain within tolerance of each other over `conviter` iterations, the algorithm will stop, as it is expected that no further precision will be gained by continued iterations.

**Polynomial Evaluation:** Monomial polynomials are evaluated using the Compensated Horner Scheme of Langlois et al. (2006) to enhance both stability and precision. Chebyshev polynomials

are evaluated normally. There may be cases where the algorithm will fail using the monomial basis but succeed using Chebyshev polynomials and vice versa. The default is to use the Chebyshev polynomials.

**Polynomial Algorithm “Singular Error” Response:** When too high of a degree is requested for the tolerance of the algorithm, it often fails with a singular matrix error. In this case, for the *polynomial* version, the algorithm will try looking for an approximation of degree  $n + 1$ . If it finds one, **and** the contribution of that coefficient to the approximation is  $\leq \text{tailtol}$ , it will ignore that coefficient and return the resulting degree  $n$  polynomial, as the largest coefficient is effectively 0. The contribution is measured by multiplying that coefficient by the endpoint with the larger absolute magnitude raised to the  $n + 1$  power. This is done to prevent errors in cases where a very small coefficient is found on a range with very large absolute values and the resulting contribution to the approximation is **not de minimis**. Setting `tailtol` to NULL will skip the  $n + 1$  test completely.

**Close-to-Zero Tolerance:** For each step of the algorithms’ iterations, the contribution of the found coefficient to the total sum (as measured in the above section) is compared to the `ztol` option. When less than or equal to `ztol`, that coefficient is set to 0. Setting `ztol` to NULL skips the test completely. For intervals near or containing zero, setting this option to anything other than NULL may result in either non-convergence or poor results. It is recommended to keep it as NULL, although there are edge cases where it may allow convergence where a standard call may fail.

## Value

`minimaxApprox` returns an object of class `"minimaxApprox"` which inherits from the class `list`.

The generic accessor function `coef` will extract the numerator and denominator vectors. There are also default `print` and `plot` methods.

An object of class `"minimaxApprox"` is a list containing the following components:

a	The polynomial or rational numerator coefficients. When using Chebyshev polynomials, these are the coefficients for $T_k$ . When using monomials, these are the coefficients for $x^k$ .
b	The rational denominator coefficients. When using Chebyshev polynomials, these are the coefficients for $T_k$ . When using monomials, these are the coefficients for $x^k$ . Missing for polynomial approximation.
aMono	When using Chebyshev polynomials, these are the polynomial or rational numerator coefficients for monomial expansion in $x^k$ . Missing for monomial-based approximation.
bMono	When using Chebyshev polynomials, these are the rational denominator coefficients for monomial expansion in $x^k$ . Missing for both polynomial and monomial-based rational approximation.
ExpErr	The absolute value of the expected error as calculated by the Remez algorithms.
ObsErr	The absolute value of largest observed error between the function and the approximation at the extremal points.
iterations	The number of iterations of the algorithm. This does not include any iterations required to converge the error value in rational approximation.
Extrema	The extrema at which the minimax error was achieved.

Warning	A logical flag indicating if any warnings were thrown.
The object also contains the following attributes:	
type	"Rational" or "Polynomial".
basis	"Monomial" or "Chebyshev".
func	The function being approximated.
range	The range on which the function is being approximated.
relErr	A logical indicating that relative error was used. If FALSE, then absolute error was used.
tol	The tolerance used for the <b>Distance Test</b> .
convrat	The tolerance used for the <b>Magnitude Test</b> .

### Note

At present, the algorithms are implemented using machine double precision, which means that the approximations are at best slightly worse. Research proceeds on more precise, stable, and efficient implementations. So long as the package remains in an experimental state—noted by a 0 major version—the API may change at any time.

### Author(s)

Avraham Adler <Avraham.Adler@gmail.com>

### References

- Remez, E. I. (1962) *General computational methods of Chebyshev approximation: The problems with linear real parameters*. US Atomic Energy Commission, Division of Technical Information. AEC-tr-4491
- Fraser W. and Hart J. F. (1962) “On the computation of rational approximations to continuous functions”, *Communications of the ACM*, **5**(7), 401–403, doi:10.1145/368273.368578
- Cody, W. J. and Fraser W. and Hart J. F. (1968) “Rational Chebyshev approximation using linear equations”, *Numerische Mathematik*, **12**, 242–251, doi:10.1007/BF02162506
- Langlois, P. and Graillat, S. and Louvet, N. (2006) “Compensated Horner Scheme”, in *Algebraic and Numerical Algorithms and Computer-assisted Proofs*. Dagstuhl Seminar Proceedings, **5391**, doi:10.4230/DagSemProc.05391.3

### See Also

[minimaxEval](#), [minimaxErr](#)

### Examples

```
minimaxApprox(exp, 0, 1, 5) # Built-in & polynomial

fn <- function(x) sin(x) ^ 2 + cosh(x) # Pre-defined
minimaxApprox(fn, 0, 1, c(2, 3), basis = "m") # Rational
```

```

minimaxApprox(function(x) x ^ 3 / sin(x), 0.7, 1.6, 6L) # Anonymous

fn <- function(x) besselJ(x, nu = 0)           # More than one input
b0 <- 0.893576966279167522                    # Zero of besselY
minimaxApprox(fn, 0, b0, c(3L, 3L))           # Cf. DLMF 3.11.19

```

---

minimaxErr

*Evaluate the Minimax Approximation Error*


---

## Description

Evaluates the difference between the function and the minimax approximation at  $x$ .

## Usage

```
minimaxErr(x, mmA)
```

## Arguments

$x$  a numeric vector  
 $mmA$  a "minimaxApprox" return object

## Details

This is a convenience function to evaluate the approximation error at  $x$ . It will use the same polynomial basis as was used in the approximation; see [minimaxApprox](#) for more details.

## Value

A vector of the same length as  $x$  containing the approximation error values.

## Author(s)

Avraham Adler <Avraham.Adler@gmail.com>

## See Also

[minimaxApprox](#), [minimaxEval](#)

## Examples

```

# Show results
x <- seq(0, 0.5, length.out = 11L)
mmA <- minimaxApprox(exp, 0, 0.5, 5L)
err <- minimaxEval(x, mmA) - exp(x)
all.equal(err, minimaxErr(x, mmA))

# Plot results
x <- seq(0, 0.5, length.out = 1001L)
plot(x, minimaxErr(x, mmA), type = "l")

```



---

minimaxEval	<i>Evaluate Minimax Approximation</i>
-------------	---------------------------------------

---

### Description

Evaluates the rational or polynomial approximation stored in `mmA` at `x`.

### Usage

```
minimaxEval(x, mmA, basis = "Chebyshev")
```

### Arguments

<code>x</code>	a numeric vector
<code>mmA</code>	a "minimaxApprox" return object
<code>basis</code>	character; Which polynomial basis to use in to evaluate the function; see <a href="#">minimaxApprox</a> for more details. If Chebyshev is requested but the analysis used only monomials, the calculation will proceed using the monomials with a message. The default is "Chebyshev", and the parameter is case-insensitive and may be abbreviated.

### Details

This is a convenience function to evaluate the approximation at `x`.

### Value

A vector of the same length as `x` containing the approximated values.

### Author(s)

Avraham Adler <Avraham.Adler@gmail.com>

### See Also

[minimaxApprox](#), [minimaxErr](#)

### Examples

```
# Show results
x <- seq(0, 0.5, length.out = 11L)
mmA <- minimaxApprox(exp, 0, 0.5, 5L)
apErr <- abs(exp(x) - minimaxEval(x, mmA))
all.equal(max(apErr), mmA$ExpErr)

# Plot results
curve(exp, 0.0, 0.5, lwd = 2)
curve(minimaxEval(x, mmA), 0.0, 0.5, add = TRUE, col = "red", lty = 2L, lwd = 2)
```

---

plot.minimaxApprox     *Plot errors from a "minimaxApprox" object*

---

### Description

Produces a plot of the error of the "minimaxApprox" object, highlighting the error extrema and bounds.

### Usage

```
## S3 method for class 'minimaxApprox'  
plot(x, y, ...)
```

### Arguments

x	An object inheriting from <a href="#">class "minimaxApprox"</a> .
y	Ignored. In call as required by R in <a href="#">Writing R Extensions:chapter 7</a> .
...	Further arguments to plot. Specifically to pass ylim to allow for zooming in or out.

### Value

No return value; called for side effects.

### Author(s)

Avraham Adler <Avraham.Adler@gmail.com>

### See Also

[minimaxApprox](#)

### Examples

```
PP <- minimaxApprox(exp, 0, 1, 5)  
plot(PP)
```

---

```
print.minimaxApprox    Print method for a "minimaxApprox" object
```

---

**Description**

Provides a more human-readable output of a "minimaxApprox" object.

**Usage**

```
## S3 method for class 'minimaxApprox'  
print(x, digits = 14L, ...)
```

**Arguments**

x	An object inheriting from <a href="#">class</a> "minimaxApprox".
digits	integer; Number of digits to which to round the ratio.
...	Further arguments to print.

**Details**

To print the raw "minimaxApprox" object use `print.default`.

**Value**

No return value; called for side effects.

**Author(s)**

Avraham Adler <Avraham.Adler@gmail.com>

**See Also**

[minimaxApprox](#)

**Examples**

```
PP <- minimaxApprox(sin, 0, 1, 8)  
PP  
print(PP, digits = 2L)  
print.default(PP)
```

# Index

- \* **NumericalMathematics**
  - coef.minimaxApprox, 3
  - minimaxApprox, 4
  - minimaxErr, 8
  - minimaxEval, 9
  - plot.minimaxApprox, 10
  - print.minimaxApprox, 11
- \* **hplot**
  - plot.minimaxApprox, 10
- \* **methods**
  - coef.minimaxApprox, 3
  - plot.minimaxApprox, 10
  - print.minimaxApprox, 11
- \* **optimize**
  - minimaxApprox, 4
- \* **package**
  - minimaxApprox-package, 2
- \* **print**
  - print.minimaxApprox, 11

class, 3, 6, 10, 11

coef.minimaxApprox, 3

list, 3, 4, 6

minimaxApprox, 3, 4, 8–11

minimaxApprox-package, 2

minimaxErr, 7, 8, 9

minimaxEval, 7, 8, 9

plot.minimaxApprox, 10

print.minimaxApprox, 11